


















# Art Studio, SOPA and Photographic Wastes

Waste Description	Waste Classification	On-Site Management	Disposal
Acids, metals, pickling brine 	Some will be Characteristic Haz. Waste <b>DO02</b>	Must be kept in closed, labeled containers in room where waste is generated. Acids/Bases may be neutralized and liquid with verified pH of >5 but <9 can be drain disposed. Solids must be managed as Haz. Waste. Records of neutralization must be maintained.	 Contract with Haz Waste Disposal Firm 
Paints and Inks 	Hazardous Waste <b>Cadmium, Chromium, etc.</b>	Must be kept in closed, labeled, fire-rated containers in room where waste is generated. 	 Contract with Haz Waste Disposal Firm
Paint Thinner, Lacquer Thinner, Solvent cleaners, etc.	Ignitable Hazardous Waste <b>DO01</b>	Must be kept in closed, labeled, fire-rated containers in room where waste is generated. <b>Flammable</b>	Separate and reuse thinner as "first wash" for brushes. Dispose of unusable portion through Haz. Waste Disposal Firm.
Ceramic Glazes (Lead-Safe does not mean Lead-free)	Hazardous Waste <b>Pb, Cd, Cr, Th, Mo, Co...</b>	<b>Pb</b> Must be kept in closed, labeled containers in room where waste is generated.	Contract with Haz Waste Disposal Firm 
Silver-bearing waste from Photography 	Test by TCLP for Silver content (D011)	Must be kept in closed, labeled containers in room where waste is generated. Any attempts at Silver Recovery must be validated and records maintained.	 Return to Manufacturer/ Recycle (Hazardous Waste otherwise)
Sharps: Broken glassware, needles, scalpels, saw blades, etc. 	Sharps 	Kept in labeled, puncture resistant containers (a box, marked with "Sharps" and taped shut will suffice.)	 Glass may be recycled. Other containerized items can be placed near garbage for disposal.
Aerosol Cans 	Flammable Haz. Waste, if not empty	Must be completely emptied prior to disposal.	 Must be completely emptied prior to disposal.
Compressed Gas Cylinders	Classification based on contents	Keep all cylinders labeled as to contents and supplier. 	Do not purchase cylinders. Contract for supply. 