

SAFETY DATA SHEET

Creation Date 26-Apr-2010

Revision Date 26-Dec-2021

Revision Number 6

1. Identification

Product Name

Dichlorodimethylsilane

Cat No. :

AC430880000; AC430881000; AC430888000

CAS No Synonyms 75-78-5 Dimethyldichlorosilane; DMDCS

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Acute oral toxicity Acute Inhalation Toxicity - Vapors Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 2 Category 4 Category 3 Category 1 A Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Harmful if swallowed Causes severe skin burns and eye damage May cause respiratory irritation Toxic if inhaled



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store in a well-ventilated place. Keep container tightly closed Store locked up Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Dimethyldichlorosilane	75-78-5	>95

4. First-aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Most important symptoms and effects	Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media	Water
Flash Point	-9 °C / 15.8 °F
Method -	No information available
Autoignition Temperature	460 °C / 860 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	10.4 vol % 5.5 vol % No information available No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Silicon dioxide. Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	Health 3	Flammability 3	Instability 1	Physical hazards N/A
		6. Accidental rel	ease measures	

Personal Precautions Environmental Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges. Should not be released into the environment.
Methods for Containment and Clear Up	Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Keep away from water or moist air. Refrigerator/flammables. Corrosives area. Incompatible Materials. Water. Strong oxidizing agents.
8. E>	posure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
OSHA - Occupational Safety and Health A	dministration

Engineering Measures Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physic	al and chemical properties	
Physical State	Liquid	-
Appearance	Clear	
Odor	pungent	
Odor Threshold	No information available	
рН	No information available < 1	
Melting Point/Range	-76 °C / -104.8 °F	
Boiling Point/Range	70 °C / 158 °F	
Flash Point	-9 °C / 15.8 °F	
Evaporation Rate	No information available	
Flammability (solid,gas)	Not applicable	
Flammability or explosive limits		
Upper	10.4 vol %	
••		

Dichlorodimethylsilane

Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight

5.5 vol % 150 hPa @ 20 °C 1.45 1.060 Water reactive No data available 460 °C / 860 °F < 100 °C 0.6 cP at 25 °C C2 H6 Cl2 Si 129.06

10. Stability and reactivityReactive HazardYesStabilityMoisture sensitive. Water reactive.Conditions to AvoidIncompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water.Incompatible MaterialsWater, Strong oxidizing agentsHazardous Decomposition ProductsCarbon monoxide (CO), Carbon dioxide (CO2), Silicon dioxide, Hydrogen chloride gasHazardous ReactionsReacts with water and forms Hydrogen chloride.

11. Toxicological information

Acute Toxicity

Product Information

Component Informa	ation					
Componer	nt	LD50 Oral		LD50 Dermal	LC50	Inhalation
Dimethyldichloro	osilane	LD50 = 800 mg/kg (Rat) Not listed LC50 = 2092 ppm (Rat)		2 ppm (Rat)1 h		
Foxicologically Syn Products	nergistic	No information avail	ilable			
elayed and immed	liate effects as	s well as chronic effec	ts from short ar	d long-term expo	sure	
rritation		Irritating to eyes, re	spiratory system	and skin		
Sensitization		No information avail	No information available			
Carcinogenicity		The table below inc	licates whether e	ach agency has lis	ted any ingredient	as a carcinogen
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Dimethyldichlorosilane	75-78-5	Not listed	Not listed	Not listed	Not listed	Not listed
Iutagenic Effects		No information avail	ilable			
Reproductive Effect	ts	No information available.				
Developmental Effe	ects	No information available.				

Teratogenicity

STOT - single exposure	Respiratory system
STOT - repeated exposure	None known

No information available.

Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

DOT

TDG

ΙΑΤΑ

Ecotoxicity No information available. Reacts with water so no ecotoxicity data for the substance is available.

Persistence and Degradability	Persistence is unlikely based on information available.
Bioaccumulation/ Accumulation	No information available.
Mobility	Will likely be mobile in the environment due to its volatility.
	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a

Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a
	hazardous waste. Chemical waste generators must also consult local, regional, and
	national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
<u></u>	
UN-No	UN1162
Proper Shipping Name	DIMETHYLDICHLOROSILANE
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	ll
DG	
UN-No	UN1162
Proper Shipping Name	DIMETHYLDICHLOROSILANE
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	ll
TA	
UN-No	UN1162
Proper Shipping Name	DIMETHYLDICHLOROSILANE
Hazard Class	3
Cubaidiams Hanaval Class	0

UN-No	UN1162
Proper Shipping Name	DIMETHYLDICHLOROSILANE
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN1162
Proper Shipping Name	DIMETHYLDICHLOROSILANE
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II
	15 Degulatory in

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
-----------	--------	------	--	--------------------------------

Dimethyldichlorosilane	75-78-5	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

Not applicable TSCA 12(b) - Notices of Export

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Dimethyldichlorosilane	75-78-5	Х	-	200-901-0	Х	Х	Х	Х	Х	KE-11332

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable

OSHA - Occupational Safety and

Health Administration

Component			Specifically Regulated Chemicals	Highly Hazardous Chemicals	
Dimethyldichlorosilane			-	TQ: 1000 lb	
CERCLA		This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liabi Act (CERCLA) (40 CFR 302)			

Component	Hazardous Substances RQs	CERCLA EHS RQs
Dimethyldichlorosilane	-	500 lb

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dimethyldichlorosilane	Х	Х	Х	-	-

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product contains the following DHS chemicals: Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component **DHS Chemical Facility Anti-Terrorism Standard** Release STQs - 10000lb Dimethyldichlorosilane APA

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Dimethyldichlorosilane	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Dimethyldichlorosilane	75-78-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Dimethyldichlorosilane	75-78-5	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information	
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	26-Apr-2010 26-Dec-2021 26-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS