

# **SAFETY DATA SHEET**

Version 6.5 Revision Date 11/14/2023 Print Date 02/10/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

Product name: Carbon dioxideProduct Number: 295108Brand: AldrichCAS-No.: 124-38-9

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052

#### 1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Gases under pressure (Liquefied gas), H280 Simple Asphyxiant,

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Warning

Signal Word

Aldrich - 295108

Page 1 of 10



Hazard statement(s)	Contains gas under pressure; may explode if heated.
H280	May displace oxygen and cause rapid suffocation.
Precautionary statement(s) P410 + P403	Protect from sunlight. Store in a well-ventilated place.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May displace oxygen and cause rapid suffocation.

## **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Formula Molecular weight CAS-No.	: CO₂ : 44.01 g/mol : 124-38-9		
EC-No.	: 204-696-9		
Component		Classification	Concentration
carbon dioxide			
		Press. Gas Liquefied gas; SA ; H280,	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

Aldrich - 295108

Page 2 of 10



## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Not combustible. Ambient fire may liberate hazardous vapours.

- **Advice for firefighters** 5.3 In the event of fire, wear self-contained breathing apparatus.
- 5.4 **Further information** none

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe gas. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

- 6.2 **Environmental precautions** No special precautionary measures necessary.
- Methods and materials for containment and cleaning up 6.3 Observe possible material restrictions (see sections 7 and 10). Stop flow of gas, move leaking cylinder to open air if without risk.
- 6.4 **Reference to other sections** For disposal see section 13.

#### **SECTION 7: Handling and storage**

Precautions for safe handling 7.1 For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep away from combustible materials and sources of ignition.

Contents under pressure. Avoid heating above: 50°C

Aldrich - 295108

Page 3 of 10



# Storage class

Storage class (TRGS 510): 2A: Gases

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
carbon dioxide	124-38-9	TWA	5,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	30,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	5,000 ppm 9,000 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	30,000 ppm 54,000 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	5,000 ppm 9,000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		STEL	30,000 ppm 54,000 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	5,000 ppm 9,000 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

## Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

## **Personal protective equipment**

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm

Aldrich - 295108

Page 4 of 10



Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Chloroprene Minimum layer thickness: 0.6 mm Break through time: 30 min Material tested:Camapren® (KCL 722 / Aldrich Z677493, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

protective clothing

#### **Respiratory protection**

Recommended Filter type: Self-contained breathing apparatus (EN 133) The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

No special precautionary measures necessary.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: Liquefied gas
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -78.5 °C (-109.3 °F) - lit.
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.

Aldrich - 295108

Page 5 of 10



j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	57,249 hPa at 20 °C (68 °F)
I)	Vapor density	1.52 - (Air = 1.0)
m)	Density	1.56 g/cm3 at -79 °C (-110 °F)
	Relative density	No data available
n)	Water solubility	No data available
0)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
<b>Other safety information</b> Sublimation point -78.5 °C		

Relative vapor 1.52 - (Air = 1.0) density

# **SECTION 10: Stability and reactivity**

## **10.1 Reactivity**

9.2

No data available

#### **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature).

## **10.3** Possibility of hazardous reactions

Risk of explosion with: Powdered metals Peroxides (sodium salt) Risk of ignition or formation of inflammable gases or vapours with: acetylidene barium peroxide metallic oxides Lithium lithium aluminium hydride sodium Exothermic reaction with:

Aldrich - 295108

Page 6 of 10



Amines Ammonia Strong bases acryl aldehyde polymerisable

- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

## SECTION 11: Toxicological information

#### **11.1** Information on toxicological effects

#### **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitization** No data available

Germ cell mutagenicity No data available

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

Aldrich - 295108

Page 7 of 10



# Aspiration hazard

No data available

# **11.2 Additional Information**

#### RTECS: FF6400000

Nausea, Dizziness, Headache, Low to medium concentrations of carbon dioxide can:, affect regulation of blood circulation, affect the acidity of body fluids, respiratory difficulties, At high concentrations:, Breathing difficulties, Increased pulse rate, change in body acidity, Very high concentrations can cause:, Unconsciousness, death

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

12.1 Toxicity

No data available

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects**

No data available

# SECTION 13: Disposal considerations

## **13.1** Waste treatment methods

## Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. Pressurised gas bottle: dispose of only in empty condition! See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Aldrich - 295108

Page 8 of 10



## **SECTION 14: Transport information**

**DOT (US)** UN number: 1013 Class: 2.2 Proper shipping name: Carbon dioxide Reportable Quantity (RQ): Poison Inhalation Hazard: No

## IMDG

UN number: 1013 Class: 2.2 Proper shipping name: CARBON DIOXIDE EMS-No: F-C, S-V

# ΙΑΤΑ

UN number: 1013 Class: 2.2 Proper shipping name: Carbon dioxide

#### **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Massachusetts Right To Know Components

carbon dioxide	CAS-No. 124-38-9	Revision Date 2007-03-01
Pennsylvania Right To Know Components carbon dioxide	CAS-No.	Revision Date
	124-38-9	2007-03-01

Aldrich - 295108

Page 9 of 10



# **SECTION 16: Other information**

## Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, and the transition our branding under and matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.5 Print Date: 02/10/2024 Revision Date: 11/14/2023

Aldrich - 295108

Page 10 of 10

