# **SAFETY DATA SHEET**

Version 3.18 Revision Date 06/02/2016 Print Date 06/20/2016

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Ammonium hydroxide solution

Product Number : 320145
Brand : Sigma-Aldrich

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1), H314 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

Precautionary statement(s)

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Sigma-Aldrich - 320145 Page 1 of 9

Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Synonyms : Ammonia aqueous

Ammonia water

Formula : H<sub>5</sub>NO

**Hazardous components** 

Component		Classification	Concentration
Ammonium hydroxic	le		
CAS-No.	1336-21-6	Acute Tox. 4; Skin Corr. 1B;	>= 50 - < 70 %
EC-No.	215-647-6	Eye Dam. 1; Aquatic Acute 1;	
Index-No.	007-001-01-2	Aquatic Chronic 2; H302,	
		H314, H400, H411	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

### **General advice**

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

Sigma-Aldrich - 320145 Page 2 of 9

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

#### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

May develop pressure. Refrigerate before opening. Handle and open container with care.

Storage class (TRGS 510): Non-combustible, corrosive hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Ammonium	1336-21-6	TWA	25.000000 ppm	USA. ACGIH Threshold Limit Values
hydroxide				(TLV)
	Remarks	Upper Respiratory Tract irritation		
		Eye damage		
		TWA	25.000000 ppm	USA. ACGIH Threshold Limit Values
				(TLV)
		Upper Respiratory Tract irritation		
		Eye damage		

Sigma-Aldrich - 320145 Page 3 of 9

STEL	35.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
Upper Respiratory Tract irritation Eye damage		
STEL	35.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
Upper Respiratory Tract irritation Eye damage		
TWA	25.000000 ppm 18.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
Often used in an aqueous solution.		
TWA	25.000000 ppm 18.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
Often used in an aqueous solution.		
ST	35.000000 ppm 27.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
Often used in	n an aqueous solu	tion.
ST	35.000000 ppm 27.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
Often used in an aqueous solution.		
TWA	25 ppm	USA. ACGIH Threshold Limit Values (TLV)
Upper Respiratory Tract irritation Eye damage		
STEL	35 ppm	USA. ACGIH Threshold Limit Values (TLV)
Upper Respiratory Tract irritation Eye damage		
TWA	25 ppm 18 mg/m3	USA. NIOSH Recommended Exposure Limits
Often used in an aqueous solution.		
ST	35 ppm 27 mg/m3	USA. NIOSH Recommended Exposure Limits
Often used in	n an aqueous solut	tion.

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Sigma-Aldrich - 320145 Page 4 of 9

Material: Nitrile rubber

Minimum laver thickness: 0.11 mm Break through time: 240 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Page 5 of 9

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

**Appearance** Form: liquid, clear a)

Colour: colourless

b) Odour No data available

Odour Threshold No data available c)

d) pН 11.7 at 20 °C (68 °F)

Melting point/freezing -60 °C (-76 °F)

point

Initial boiling point and

38 - 100 °C (100 - 212 °F) at 1,013 hPa (760 mmHg) boiling range

Flash point Not applicable h) Evaporation rate No data available No data available i) Flammability (solid, gas)

Upper/lower Upper explosion limit: 27 %(V) flammability or Lower explosion limit: 16 %(V)

explosive limits

Vapour pressure 153 hPa (115 mmHg) at 20 °C (68 °F)

1.21 - (Air = 1.0)Vapour density

0.9 g/mL at 25 °C (77 °F) m) Relative density

Water solubility No data available Partition coefficient: n-No data available

octanol/water

p) Auto-ignition No data available

temperature

Decomposition No data available

temperature

Viscosity No data available

Sigma-Aldrich - 320145

s) Explosive properties No data availablet) Oxidizing properties No data available

### 9.2 Other safety information

Relative vapour density 1.21 - (Air = 1.0)

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Copper, Iron, Zinc

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nitrogen oxides (NOx)

Other decomposition products - No data available

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

### **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

Sigma-Aldrich - 320145 Page 6 of 9

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard** 

No data available

**Additional Information** 

RTECS: Not available

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

Very toxic to aquatic life.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2672 Class: 8 Packing group: III

Proper shipping name: Ammonia solution Reportable Quantity (RQ): 1621 lbs

Marine pollutant:yes

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2672 Class: 8 Packing group: III EMS-No: F-A, S-B

Proper shipping name: AMMONIA SOLUTION

Sigma-Aldrich - 320145 Page 7 of 9

Marine pollutant:yes

**IATA** 

UN number: 2672 Packing group: III Class: 8

Proper shipping name: Ammonia solution

### 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No.

**Revision Date** 

Ammonium hydroxide

1336-21-6

2007-03-01

#### SARA 311/312 Hazards

Acute Health Hazard

### **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Ammonium hydroxide	1336-21-6	2007-03-01

## Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Ammonium hydroxide	1336-21-6	2007-03-01
Water	7732-18-5	

#### **New Jersey Right To Know Components**

	CAS-No.	Revision Date
Ammonium hydroxide	1336-21-6	2007-03-01
Water	7732-18-5	

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity **Aquatic Chronic** Chronic aquatic toxicity Eye Dam. Serious eye damage H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Causes serious eye damage. H318 Very toxic to aquatic life. H400

H411 Toxic to aquatic life with long lasting effects.

Skin corrosion Skin Corr.

**HMIS Rating** 

Health hazard: 3 Chronic Health Hazard: Flammability: 0 Physical Hazard 0

**NFPA** Rating

Health hazard: 3 Fire Hazard: 0 Reactivity Hazard: 0

Sigma-Aldrich - 320145 Page 8 of 9

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.18 Revision Date: 06/02/2016 Print Date: 06/20/2016

Sigma-Aldrich - 320145 Page 9 of 9